



- 1 monitor connected via 2 DP cables: 1x DP + 1x DP supports up to 5K 5120x2880@60Hz, host graphic card have to support 5K resolution
- 2 monitors connected simultaneously: 1x DP + 1x DP supports up to 4K 4096 x 2160@60Hz; 1x DP + 1x HDMI supports up to 4K 4096 x 2160 @ 60Hz; 1x HDMI + 1x HDMI supports up to 4K 4096 x 2160 @ 60Hz
- 6x USB-A 3.0 ports for connecting all existing hardware and accessories. USB-A ports are compatible with USB 3.1 and backward compatible with USB 3.0 / 2.0 devices
- Features DisplayLink DL6950, VIA VL813 chipset
- Fast network and Internet access with Gigabit Ethernet RJ-45 port, supporting 10/100/1000 Mbps speeds
- Kensington lock slot to discourage theft
- Separate 3.5 mm audio input / output jacks
- Power-saving on / off switch allowing quick and easy reset of the docking station & power LED indicator
- 1x power supply input – external power adapter (output: DC 20V/2A)
- Supports Windows 7/8/8.1/10, Mac OS X, Linux Ubuntu 14.04 / 16.04, Android 6 and later
- Cross-brand and cross-platform compatibility

Please make sure to check a compatibility of your device, whether it meets all the requirements for an operation of the specific i-tec product, especially video output (Display Port Alt mode), and/or Power Delivery. If your device would not be fully compatible, your new i-tec product may not operate correctly. You may find the specifications your device (i.e. USB port), in a user manual supplied with your notebook/tablet/smartphone, or – alternatively – via customer service provided by a manufacturer of your device. If still uncertain, however, contact our service at [support@itecproduct.com](mailto:support@itecproduct.com).

Long product description: i-tec USB 3.0 / USB-C 5K Universal Dual Display Docking Station, 2x 4K 60Hz Video, 2x HDMI, 2x Display Port, 1x GLAN Ethernet, 6x USB-A 3.0, 1x Audio Input / Output, On/Off Switch, Kensington Lock, for Laptops, Tablets, Windows, Mac OS, Linux, Android, Thunderbolt 3 compatible

\* 5K resolution is supported only by Windows

## PRODUCT FEATURES

- 1x USB-C port for connecting to the host device with USB-C or USB-A port (cable USB-C and adapter from USB-C to USB 3.0 is included)
- Video ports:
  - 2x Display Port
  - 2x HDMI
- Supported Resolutions:
  - 1 monitor – 1x Display Port → up to 4K/60Hz
  - 1 monitor – 1x HDMI → up to 4K/60Hz
  - 1 monitor – 2x Display Port → up to 5K/60Hz\*
  - 2 monitors – 1x Display Port + 1x Display Port → up to 2x 4K/60Hz
  - 2 monitors – 1x Display Port + 1x HDMI → up to 2x 4K/60Hz
  - 2 monitors – 1x HDMI + 1x HDMI → up to 2x 4K/60Hz
- 6x USB 3.0 port
- 1x Ethernet GLAN RJ-45 port (DisplayLink DL-6950)
- 1x 3,5mm Audio output, 1x 3,5mm Microphone input
- 1x Power input (DC 20/2A)
- ON/OFF switch
- LED indicator
- Kensington lock support
- USB-C cable with USB-C to USB-A adapter (100cm)
- OS: Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, Android 5 or later, Chrome OS R51 or later

- Easy driver installation ([Windows](#), [MacOS](#), [Ubuntu](#), [Android \(external link\)](#))
- Product dimensions: 223 x 88 x 27mm
- Product weight: 338g
- Package dimensions: 314 x 144 x 60mm
- Package weight: 900g

\* 5K resolution is supported only by Windows

## SYSTEM REQUIREMENTS

### Hardware requirements:

- Device with an available USB-A, USB-C or Thunderbolt™ 3 port

### Operating System:

- Windows 7 / 8 / 8.1 / 10, macOS X, Linux Ubuntu 14.04, 16.04, 17.04, 17.10 18.04, Android 5 or later, Chrome OS R51 or later

## SPECIFICATION

Part Number	Product Description & EAN
CADUAL4KDOCK	i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station EAN: 8595611702051
CADUAL4KDOCKUK	i-tec USB 3.0 / USB-C / Thunderbolt 3 Dual Display Docking Station EAN: 8595611702327
<b>Hardware</b>	
Bus type	USB-C, USB-3.0, Thunderbolt-3
<b>Ports/Connectors</b>	
USB 3.0 TYPE A	6
HDMI	2
DISPLAY PORT	2
AUDIO	1
MIC	1
LAN RJ-45	1
DC POWER ADAPTER JACK	1
<b>System Requirements</b>	
Hardware	Hardware requirements: Device with an available USB-A, USB-C or Thunderbolt™ 3 port
Operating system	Windows 7 / 8 / 8.1 /10 macOS X Android 5 or later Linux Ubuntu 14.04, 16.04, 17.04, 17.10, 18.04, 19.04 Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
<b>Other features</b>	

Colour	grey
Housing Material	plastic
Product Dimensions	223 x 88 x 27 mm
Product Weight	338 g
Package Weight	900 g
Packaging Dimensions (LxWxH)	314 x 144 x 60 mm
<b>Support</b>	
Warranty period	2 years
Technical support	lifetime
<b>Package contents</b>	
Product	
USB-C cable with USB-C to USB-A adapter (100cm)	
Power adapter (DC cable 120cm)	
Manual	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 23.10.2019